

**SAFETY DATA SHEET**

FSR225CPWH00

Page 1 of 5

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY**

**MANUFACTURER'S NAME / ADDRESS**

**ARIZONA POLYMER FLOORING**  
 4565 W WATKINS ST.  
 PHOENIX, AZ 85043 .

**TRADE NAME: STATREZ® 225 COLORPACK**  
**COLOR: WHITE AND TINTS**  
**MAIN USE: SPECIALTY FLOORING RESIN**

**EMERGENCY TELEPHONE NUMBER: (800) 424-9300 (CHEMTREC)**

**SECTION 2: HAZARDS IDENTIFICATION**

**GLOBALLY HARMONIZED SYSTEM (GHS)**

**CLASSIFICATION: HAZARDOUS**  
**CARCINOGENICITY: CATEGORY 2**

**GHS LABEL ELEMENTS**  
**HAZARD PICTOGRAMS**



**SIGNAL WORD: WARNING!**

**HAZARD STATEMENTS:**  
 H351: SUSPECTED OF CAUSING CANCER

**PRECAUTIONARY STATEMENTS:**

**PREVENTION**

P202: DO NOT HANDLE UNTIL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD

**RESPONSE**

P308+P313: IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.

**DISPOSAL**

P501: DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT

**OTHER HAZARDS**

NO DATA AVAILABLE

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<b>HAZARDOUS INGREDIENTS</b>	<b>Wt. %</b>	<b>CAS Number</b>
TITANIUM DIOXIDE	0-20	013463-67-7
IRON (III) OXIDE	0-10	001309-37-1
CARBON BLACK	0-10	001333-86-4

## SAFETY DATA SHEET

FSR225CPWH00

Page 2 of 5

### SECTION 4: FIRST AID MEASURES

**GENERAL:** REMOVE AFFECTED PERSON FROM AREA. TREAT SYMPTOMATICALLY.

**EYES:** FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

**SKIN:** WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

**INHALATION:** MOVE TO FRESH AIR. IF BREATHING REMAINS OR BECOMES LABORED, SEEK MEDICAL ATTENTION.

**INGESTION:** GIVE 3 – 4 GLASSES OF MILK OR WATER. **DO NOT INDUCE VOMITING.** SEEK MEDICAL ATTENTION.

### SECTION 5: FIRE FIGHTING MEASURES

**FLASH POINT:** 188°C (370°F)

**OSHA CLASS:** NONE SHOWN

**CONDITIONS OF FLAMMABILITY:** NA

**AUTO IGNITION TEMP.:** 370°C (698°F)

**FLAMMABLE LIMITS:** LEL: NE UEL: NE

**SENSITIVITY TO IMPACT:** NONE

**HAZARDOUS COMBUSTION PRODUCTS:** CO, CO<sub>2</sub>,

**SENSITIVITY TO STATIC DISCHARGE:** NONE

**EXTINGUISHING MEDIA:** WATER, CO<sub>2</sub>, DRY CHEMICAL

**SPECIAL FIRE FIGHTING PROCEDURES:** NONE LIKELY WITH SMALL QUANTITIES. FOR LARGE QUANTITIES, FIREFIGHTERS AND OTHERS EXPOSED TO VAPORS OR PRODUCTS OF COMBUSTION SHOULD WEAR BUTYL RUBBER BOOTS, GLOVES AND BODY SUIT. SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

**UNUSUAL FIRE AND EXPLOSIVE HAZARDS:** IF THIS MATERIAL IS COMBINED WITH PHOSPHOROUS COMPOUNDS, TRIMETHYLOLPROPANEPHOSPHATE, A KNOWN NEUROTOXIN, CAN BE GIWEN OFF IN THE EVENT OF A FIRE.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** COVER SPILLS WITH ABSORBENT. PLACE IN METAL CONTAINERS FOR RECOVERY OR DISPOSAL. PREVENT ENTRY INTO SEWERS, STORM DRAINS, AND WATERWAYS.

### SECTION 7: HANDLING AND STORAGE

**GENERAL:** STORE IN COOL, WELL VENTILATED AREAS. KEEP AWAY FROM HEAT AND OPEN FLAMES. AVOID PROLONGED INHALATION OF HEATED VAPORS OR MISTS. AVOID PROLONGED SKIN CONTACT.

**STORAGE:** MAX STORAGE TEMPERATURE 40°C (122°F)

### SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

INGREDIENTS (CAS)	<u>EXPOSURE LIMITS (ppm)</u>				OTHER
	OSHA		ACGIH		
	TWA	STEL	TWA	STEL	
013463-67-7	10mg/m <sup>3</sup>	ND	10mg/m <sup>3</sup>	ND	(SEE NOTE 1)
001309-37-1	5mg/m <sup>3</sup>	ND	5mg/m <sup>3</sup>	ND	(SEE NOTE 1)
001333-86-4	3.5mg/m <sup>3</sup>	ND	3.5mg/m <sup>3</sup>	ND	(SEE NOTE 1)

**LEGEND:** (M) MAX. EXPOSURE LIMIT; (S) OCCUPATIONAL EXP. LIMIT; (R) SUPPLIERS REC. LIMIT, (+) PERCUTANEOUS RISK  
**NOTE 1:** VALUES MEANINGFUL ONLY WHEN HARDENED PRODUCT IS ABRADED, GROUND, ETC.

## SAFETY DATA SHEET

FSR225CPWH00

Page 3 of 5

### SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION CON'T.

**ENGINEERING CONTROLS:** NO SPECIFIC CONTROLS NEEDED. GENERAL AND LOCAL EXHAUST RECOMMENDED.

**RESPIRATORY PROTECTION:** NONE REQUIRED IN ADEQUATELY VENTILATED AREAS. IF VAPOR CONCENTRATION EXCEEDS 20ppm FOR LONGER THAN 15 MINUTES, A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS IS RECOMMENDED.

**PROTECTIVE GLOVES:** NITRILE RUBBER

**EYE PROTECTION:** SPLASH-PROOF GOGGLES OR CHEMICAL SAFETY GLASSES

**OTHER PROTECTIVE EQUIPMENT:** LONG SLEEVED SHIRTS AND TROUSERS. EMERGENCY SHOWERS AND EYE WASH STATIONS SHOULD BE READILY ACCESSIBLE.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**BOILING POINT:** 290°C (554° F)

**SPECIFIC GRAVITY:** 1.7-1.8

**VAPOR PRESSURE:** ND

**MELTING POINT:** ND

**VAPOR DENSITY:** >1  
(AIR = 1)

**EVAPORATION RATE:** <1  
(BUTYL ACETATE = 1)

**SOLUBILITY IN WATER:** INSOLUBLE

**pH:** NA

**COEFFICIENT of WATER/OIL DISTRIBUTION:** ND

**ODOR THRESHOLD:** ND

**APPEARANCE AND ODOR:** PIGMENTED LIQUID, MILD ODOR

**% VOLATILES BY VOLUME:** 0%

**%SOLIDS BY WEIGHT:** 100%

### SECTION 10: STABILITY AND REACTIVITY

**STABILITY:** STABLE

**CONDITIONS TO AVOID:** AVOID ELEVATED TEMPERATURES

**INCOMPATIBILITY (MATERIAL TO AVOID):** NONE KNOWN

**HAZARDOUS DECOMPOSITION PRODUCTS:** NONE KNOWN

**HAZARDOUS POLYMERIZATION (REACTIVITY):** WILL NOT OCCUR

**CONDITIONS TO AVOID:** KEEP FROM FREEZING

### SECTION 11: TOXICOLOGICAL INFORMATION

**LIKELY ROUTES OF EXPOSURE:** EYE CONTACT, SKIN CONTACT, INHALATION, INGESTION.

**EYES:**

ACUTE – MAY CAUSE MILD IRRITATION WITH BLURRED VISION.

CHRONIC– ND

**SKIN CONTACT:**

ACUTE – TRANSIENT IRRITATION AND REDNESS.

CHRONIC – ND

**SKIN ABSORPTION:**

ACUTE – ND

CHRONIC – ND

## SAFETY DATA SHEET

FSR225CPWH00

Page 4 of 5

### SECTION 11: TOXICOLOGICAL INFORMATION

#### INHALATION:

ACUTE – INHALATION OF MISTS MAY CAUSE MILD RESPIRATORY TRACT IRRITATION.

CHRONIC – EXCESSIVE EXPOSURE TO HEATED VAPORS CAN CAUSE IRRITATION OF EYES, NOSE AND THROAT.

#### INGESTION:

ACUTE – MAY CAUSE MILD IRRITATION OF GASTRO-INTESTINAL TRACT

CHRONIC – ND

**CONDITIONS AGGRAVATED BY EXPOSURE:** NONE KNOWN.

#### OVEREXPOSURE EFFECTS: IRRITATION

IRRITANCY: YES - REVERSIBLE

SENSITIZER: NO

#### ACUTE TOXICITY

##### ACUTE ORAL TOXICITY

LD50, RAT >1,000 mg/kg

#### SKIN CORROSION/IRRITATION

RABBIT, NON-IRRITANT

#### SERIOUS EYE DAMAGE/EYE IRRITATION

RABBIT, SLIGHT IRRITANT

**CARCINOGENIC DATA:** NTP: NONE

OSHA: NONE

IARC: NONE

TERATOGENICITY: NO

MUTAGENICITY: NO

EMBRYOTOXICITY: NO

SYNERGISTIC MATERIAL: NO

### SECTION 12: ECOLOGICAL INFORMATION

#### TOXICITY

##### ACUTE TOXICITY TO FISH

LC50(96 HR): >100mg/l, DANIO RERIO (ZEBRA FISH)

##### ACUTE TOXICITY TO AQUATIC INVERTEBRATES

EC50( 48 HR): >100 mg/l, DAPHNIA MAGNA (WATER FLEA),

##### ACUTE TOXICITY TO ALGAE/AQUATIC PLANTS

ND

##### TOXICITY TO BACTERIA

EC50: > 10,000mg/l

ACTIVATED SLUDGE

#### PERSISTANCE AND DEGRADABILITY

**BIODEGRADABILITY:** READILY BIODEGRADABLE

**BIODEGRADATION:** 84%

**EXPOSURE TIME:** 28 DAYS

**METHOD:** OECD TEST GUIDELINE 302B OR EQUIVALENT

### SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHODS:** NOT A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261). PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

## SAFETY DATA SHEET

FSR225CPWH00

Page 5 of 5

<b>SECTION 14: TRANSPORT INFORMATION</b>
------------------------------------------

<b>DOT PROPER SHIPPING NAME:</b> NOT REGULATED	<b>HAZARD CLASS:</b> NA
<b>UN NUMBER:</b> NA	<b>PACKAGING GROUP:</b> NA
<b>DOT PRODUCT RQ LBS (KGS):</b> NA	<b>HAZARD LABEL:</b> NA
<b>HAZARD PLACARD</b> NA	
<b>ADDITIONAL INFORMATION:</b> NONE	

<b>SECTION 15: REGULATORY INFORMATION</b>
-------------------------------------------

**VOC: COMPONENT** = 0 gms/Liter

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** ALL COMPONENTS ARE LISTED IN THE TSCA CHEMICAL SUBSTANCE INVENTORY.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION and LIABILITY ACT):** ND

**SARA TITLE III**

**SECTION 312 HAZARD CLASS:** SLIGHT HEALTH HAZARD

**SECTION 313 LISTED INGREDIENTS:** NONE ABOVE de Minimus LEVELS

**CALIFORNIA PROPOSITION 65:** THE BELOW LIST OF COMPOUNDS IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: CAS # 013463-67-7, CAS # 001333-86-4

<b>SECTION 16: OTHER INFORMATION</b>
--------------------------------------

<b>INITIAL ISSUE DATE:</b> AUGUST 18, 2015	<b>REVISION DATE:</b>	<b>PREPARED BY:</b> J.W. ESSIG
--------------------------------------------	-----------------------	--------------------------------

**HAZARD RATING**

<b>HMIS:</b>	<b>HEALTH</b> 1	<b>FLAMMABILITY</b> 0	<b>REACTIVITY</b> 0
--------------	-----------------	-----------------------	---------------------

**LEGEND**

ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
STEL:	SHORT TERM EXPOSURE LIMIT
TWA:	TIME WEIGHTED AVERAGE
PEL:	PERMISSIBLE EXPOSURE LIMIT
TLV:	THRESHOLD LIMIT VALUE
NA:	NOT APPLICABLE
NE:	NOT ESTABLISHED
ND:	NO DATA

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.