


DECORATIVE COLOR CHIP SYSTEMS

Where Beauty meets **Performance!**



Crafted from premium polymer resin, these durable flakes provide enhanced slip resistance, chemical resilience, and UV stability, making them perfect for high-traffic and demanding environments. They offer an easy-to-clean flooring solution with endless creative design possibilities.

Choose your decorative look:

Terrazzo



Our Terrazzo Polymer Flake line features a **mix of flake sizes** that combine to create a classic terrazzo-inspired aesthetic. Choose from 19 expertly curated color blends for a dynamic and distinctive finish.

Granitex




For a clean, uniform, and carpet-like appearance, Granitex is the perfect choice. These decorative flakes are available in **1/4-inch size** and come in 9 versatile color blends.

For technical information, visit www.apfepoxy.com.


DECORATIVE COLOR CHIP SYSTEMS

Create A Unique, Eye Catching Look


Choose your Granitex/Terrazzo decorative system:




- Topcoat - Polyurea 5100 Clear
- Full or Light Chip Broadcast
- Basecoat - Polyurea 5100
- Patching - Epoxy 300 Flex Paste
- Concrete Substrate



- Topcoat - Polyurethane 100/100 VOC Clear
- Build Coat - Epoxy 400 Clear
- Full or Light Chip Broadcast
- Basecoat - Epoxy 400
- Primer - Epoxy 100
- Patching - Epoxy 300 Flex Paste
- Concrete Substrate



- Topcoat Option 1 - Polyurethane 100/100 VOC Clear
- Topcoat Option 2 - Poly 600 Clear
- Optional 2nd Build Coat - Cem-Seal
- Build Coat - Cem-Seal
- Full or Light Chip Broadcast
- Primer - Epoxy 550
- Patching - Epoxy 300 Flex Paste
- Concrete Substrate



- Topcoat - Polyurethane 100/100 VOC Clear
- Light Chip Broadcast
- Base Coat - Epoxy 400
- Primer - Epoxy 100
- Patching - Epoxy 300 Flex Paste
- Concrete Substrate

1-Day System

A vinyl paint chip system based on polyurea coating technology that allows for rapid installation and quick return to service. This system can be installed in one day and is ready for vehicular traffic in 24 hours.

High Build System

A high build vinyl paint chip system designed for use on commercial and light industrial floors such as automotive repair facilities, retail locations, restrooms and warehouses.

2-Day System

A vinyl paint chip system based on epoxy, acrylic and polyurethane coatings that allows for two day installation and turn-around.

Light Broadcast

An economical and easy to apply vinyl paint chip system based on epoxy and polyurethane coatings. This system offers a durable low cost floor for residential garages and light commercial applications.



Easy, Fast
Installation
& Turn-Around



Excellent Abrasion,
Impact & Chemical
Resistance



Durable &
Aesthetically
Pleasing



Cost Effective
With A Long
Life Cycle

Color Blends

Explore the versatility of our Terrazzo and Granitex color flake options.

The Terrazzo collection offers 19 expertly curated combinations, while, the Granitex line features 9 distinct color blends. Both collections provide a wide range of design possibilities, allowing you to create stunning, durable, and personalized flooring surfaces.

View all available combinations in our detailed color charts to find the perfect match for your project.



1-Day System

Material	Quantity
APF Epoxy 300 Flex Paste	154 linear ft./gal*
APF Polyurea 5100 (Basecoat)	250 sq. ft./gal
APF Terrazzo/Granitex Vinyl Chips	Full broadcast: 0.12lb/sq. ft.
APF Polyurea 5100 (Topcoat)	225 sq. ft./gal

High Build System

Material	Quantity
APF Epoxy 300 Flex Paste	154 linear ft./gal*
APF Epoxy 100	200-350 sq. ft./gal.
APF Epoxy 400 (Basecoat)	150 sq. ft./gal
APF Terrazzo/Granitex Vinyl Chips	Full broadcast: 0.12 lbs/sq. ft.
APF Epoxy 400 (Build Coat)	200 sq. ft./gal
APF Polyurethane 100/100 VOC	250 sq. ft./gal

2-Day System

Material	Quantity
APF Epoxy 300 Flex Paste	154 linear ft./gal*
APF Epoxy 550	150 sq. ft./gal
APF Terrazzo/Granitex Vinyl Chips	Full broadcast= 0.12lb/sq. ft.
APF Cem-Seal (Build Coat)	250 sq. ft./gal
APF Cem-Seal (2nd Build Coat)	250 sq. ft./gal
APF Polyurethane 100/100 VOC	250 sq. ft./gal
Or APF Poly 600	250 sq. ft./gal

Light Broadcast System

Material	Quantity
APF Epoxy 300 Flex Paste	154 linear ft./gal*
APF Epoxy 100	200-350 sq. ft./gal
APF Epoxy 550	150 sq. ft./gal
APF Terrazzo/Granitex Vinyl Chips	Light broadcast: 0.04 lbs/sq. ft.
APF Polyurethane 100/100 VOC	250 sq. ft./gal

* 1/4" wide by 1/2" deep crack

See product data sheets on apfepoxy.com for complete details.



150 Dascomb Rd., Andover, MA 01810 • 1.866.667.5119 • icpgroup.com
apfepoxy.com | APF Polymer Surfaces, a brand of ICP Group

©2025 APF Polymer Surfaces and other marks on this brochure are trademarks of ICP.

A00004 - 4.25